

## Claims

[c1]

A method comprising the steps of:

surveying a plurality of computer systems associated one to another through a local area network and determining the free file storage capability of each surveyed system;

determining for each surveyed system a weighting function based on available storage capacity, network connectivity, and system resources of the respective system;

responding to instruction at one of said plurality of systems to store a data file by:

dividing the data file to be stored into a plurality of portions to be scattered among the plurality of systems for storage, each portion being sized to accommodate the weighting function of a corresponding one of the plurality of systems;

tagging each portion with encoded data identifying its sequence in the data file and system assigned for storage;

creating at said one system at which an instruction for storing the data file is given an index table identifying each tagged portion and the system to which that tagged portion is assigned for storage; and

transmitting the portions and the table to each of the systems at which a tagged portion is stored for retention and use in retrieval of the data file.

[c2]

Apparatus comprising:

a plurality of computer systems associated one to another through a local area network, each of said systems having a processing unit and data storage capability; and

a program module stored accessibly to said processing unit of each of said plurality of computer systems;

said program module cooperating with each of said processing units when executing thereon to scatter a data file to be stored from one of said plurality of computer systems across the storage capabilities of a plurality of said computer systems, said program module and the processing unit of said one of said plurality of computer systems responding to instruction at said one of said

plurality of systems to store a data file by:  
dividing the data file to be stored into a plurality of portions to be scattered  
among the plurality of systems for storage, each portion being sized to  
accommodate the weighting function of a corresponding one of the plurality of  
systems;  
tagging each portion with encoded data identifying its sequence in the data file  
and system assigned for storage;  
creating at said one system at which an instruction for storing the data file is  
given an index table identifying each tagged portion and the system to which  
that tagged portion is assigned for storage; and  
transmitting the portions and the table to each of the systems at which a tagged  
portion is stored for retention and use in retrieval of the data file.

[c3]

Apparatus comprising:

a computer readable medium; and  
a program module stored on said medium accessibly to a computer system;  
said program module, when executing on a computer system which is one of a  
plurality of computer systems associated one to another through a local area  
network, surveying the plurality of computer systems and determining the free  
file storage capability of each surveyed system;  
determining for each surveyed system a weighting function based on available  
storage capacity, network connectivity, and system resources of the respective  
system; and  
responding to instruction at one of said plurality of systems to store a data file  
by:  
dividing the data file to be stored into a plurality of portions to be scattered  
among the plurality of systems for storage, each portion being sized to  
accommodate the weighting function of a corresponding one of the plurality of  
systems;  
tagging each portion with encoded data identifying its sequence in the data file  
and system assigned for storage;  
creating at said one system at which an instruction for storing the data file is  
given an index table identifying each tagged portion and the system to which

that tagged portion is assigned for storage; and  
transmitting the portions and the table to each of the systems at which a tagged portion is stored for retention and use in retrieval of the data file.

[c4]

A method comprising the steps of:  
responding to instruction at one of a plurality of computer systems associated one to another through a local area network to retrieve from storage a data file stored in scattered portions in a plurality of the computer systems by:  
accessing a table stored accessibly to the one computer system which identifies a plurality of tagged portions and the identity of the computer system to which the respective tagged portion is assigned for storage, each of the portions having been sized to accommodate a weighting function of a corresponding one of the plurality of systems; and  
gathering scattered portions from the plurality of computer systems to the one computer system and assembling the retrieved portions into the data file.

[c5]

Apparatus comprising:  
a plurality of computer systems associated one to another through a local area network, each of said systems having a processing unit and data storage capability; and  
a program module stored accessibly to said processing unit of each of said plurality of computer systems;  
said program module cooperating with each of said processing units when executing thereon to retrieve a data file which has been stored in scattered form across the storage capabilities of a plurality of said computer systems, said program module and the processing unit of said one of said plurality of computer systems responding to instruction at said one of said plurality of systems to retrieve a data file by:  
accessing a table stored accessibly to the one computer system which identifies a plurality of tagged portions and the identity of the computer system to which the respective tagged portion is assigned for storage, each of the portions having been sized to accommodate a weighting function of a corresponding one of the plurality of systems; and  
gathering scattered portions from the plurality of computer systems to the one

computer system and assembling the retrieved portions into the data file.

[c6]

Apparatus comprising:

a computer readable medium; and

a program module stored on said medium accessibly to a computer system;  
said program module, when executing on a computer system which is one of a plurality of computer systems associated one to another through a local area network, responding to instruction at one of said plurality of computer systems to retrieve from storage a data file stored in scattered portions in a plurality of the computer systems by:

accessing a table stored accessibly to the one computer system which identifies a plurality of tagged portions and the identity of the computer system to which the respective tagged portion is assigned for storage, each of the portions having been sized to accommodate a weighting function of a corresponding one of the plurality of systems; and

gathering scattered portions from the plurality of computer systems to the one computer system and assembling the retrieved portions into the data file.

[c7]

A method comprising the steps of:

surveying a plurality of computer systems associated one to another through a local area network and determining the free file storage capability of each surveyed system;

determining for each surveyed system a weighting function based on available storage capacity, network connectivity, and system resources of the respective system;

responding to instruction at one of said plurality of systems to store a data file by:

dividing the data file to be stored into a plurality of portions to be scattered among the plurality of systems for storage, each portion being sized to accommodate the weighting function of a corresponding one of the plurality of systems;

tagging each portion with encoded data identifying its sequence in the data file and system assigned for storage;

creating at said one system at which an instruction for storing the data file is

given an index table identifying each tagged portion and the system to which that tagged portion is assigned for storage; and  
transmitting the portions and the table to each of the systems at which a tagged portion is stored for retention and use in retrieval of the data file; and  
responding to instruction at one of said plurality of computer systems to retrieve from storage a data file stored in scattered portions in a plurality of the computer systems by:

accessing a table stored accessibly to the one computer system which identifies a plurality of tagged portions and the identity of the computer system to which the respective tagged portion is assigned for storage, each of the portions having been sized to accommodate a weighting function of a corresponding one of the plurality of systems; and  
gathering scattered portions from the plurality of computer systems to the one computer system and assembling the retrieved portions into the data file.

[c8]

Apparatus comprising:

a plurality of computer systems associated one to another through a local area network, each of said systems having a processing unit and data storage capability; and

a program module stored accessibly to said processing unit of each of said plurality of computer systems;

said program module cooperating with each of said processing units when executing thereon to scatter a data file to be stored from one of said plurality of computer systems across the storage capabilities of a plurality of said computer systems, said program module and the processing unit of said one of said plurality of computer systems responding to instruction at said one of said plurality of systems to store a data file by:

dividing the data file to be stored into a plurality of portions to be scattered among the plurality of systems for storage, each portion being sized to accommodate the weighting function of a corresponding one of the plurality of systems;

tagging each portion with encoded data identifying its sequence in the data file and system assigned for storage;

creating at said one system at which an instruction for storing the data file is given an index table identifying each tagged portion and the system to which that tagged portion is assigned for storage; and  
transmitting the portions and the table to each of the systems at which a tagged portion is stored for retention and use in retrieval of the data file; and  
said program module and the processing unit of one of said plurality of computer systems responding to instruction at said one of said plurality of systems to retrieve a data file by:  
accessing a table stored accessibly to the one computer system which identifies a plurality of tagged portions and the identity of the computer system to which the respective tagged portion is assigned for storage, each of the portions having been sized to accommodate a weighting function of a corresponding one of the plurality of systems; and  
gathering scattered portions from the plurality of computer systems to the one computer system and assembling the retrieved portions into the data file.

[c9]

Apparatus comprising:  
a computer readable medium; and  
a program module stored on said medium accessibly to a computer system;  
said program module, when executing on a computer system which is one of a plurality of computer systems associated one to another through a local area network, surveying the plurality of computer systems and determining the free file storage capability of each surveyed system;  
determining for each surveyed system a weighting function based on available storage capacity, network connectivity, and system resources of the respective system; and  
responding to instruction at one of said plurality of systems to store a data file by:  
dividing the data file to be stored into a plurality of portions to be scattered among the plurality of systems for storage, each portion being sized to accommodate the weighting function of a corresponding one of the plurality of systems;  
tagging each portion with encoded data identifying its sequence in the data file

and system assigned for storage;  
creating at said one system at which an instruction for storing the data file is  
given an index table identifying each tagged portion and the system to which  
that tagged portion is assigned for storage; and  
transmitting the portions and the table to each of the systems at which a tagged  
portion is stored for retention and use in retrieval of the data file; and  
said program module, when executing on a computer system which is one of  
the plurality of computer systems, responding to instruction at one of said  
plurality of computer systems to retrieve from storage a data file stored in  
scattered portions in a plurality of the computer systems by:  
accessing a table stored accessibly to the one computer system which identifies  
a plurality of tagged portions and the identity of the computer system to which  
the respective tagged portion is assigned for storage, each of the portions  
having been sized to accommodate a weighting function of a corresponding one  
of the plurality of systems; and  
gathering scattered portions from the plurality of computer systems to the one  
computer system and assembling the retrieved portions into the data file.